Dodd Log Cabin





Dodd's Log Cabin

Dodd's Log Cabin

Location

515 Olinda Basin Road, Olinda VIC 3788 - Property No 21240

Municipality

YARRA RANGES SHIRE

Level of significance

Included in Heritage Overlay

Heritage Overlay Numbers

HO267

Heritage Listing

Yarra Ranges Shire

Statement of Significance

Last updated on - July 5, 2000

Dodd's Log Cabin has high local significance as a fine example of the craftsmanship of John W. Dodd, son of an early district selector, who built many log cabins in the Olinda area. The log cabin is architecturally significant as an unusual and innovative example of the log construction technique. The Dodd family, who were associated with the early orcharding and flower growing industries, played prominent roles in pioneering the district.

Heritage Study/Consultant Yarra Ranges - Shire of Yarra Ranges Heritage Study, Context Pty Ltd, 2000;

Construction dates 1890,

Other Names House,

Hermes Number 115274

Property Number

Physical Description 1

Dodd's Log Cabin is an unusual log cabin which dates, in part, from the 1880s. The house is located in an isolated, natural setting within 'Rainbow Gully' (Place No. 642). (Mrs Anne Swanson, daughter of Allan P. Dodd) It straddles a terraced clearing within the forest and overlooks the fern-covered hillside to the north.

Because of the terraced site, the rectangular plan house is predominantly single storey but includes a basement level to the north. The house has a gable roof and evidence of a balcony structure to the north.

The materials of the lower level suggest that the basement is a later inclusion. In contrast to the natural local materials of the upper storey and roof, the basement level is constructed from brick and incorporates a number of timber framed, c1930s windows which have a central, fixed pane and a double hung window either side.

The log cabin construction of the upper storey is an unusual and innovative example of the construction technique. The walls are made from logs laid horizontally, which overlap at each corner. A recessed verandah is located to the west elevation, which reveals a vertical log structure at the corner and the narrow cut timber used as ceiling joists. The gable end is lined with rectangular shingles and a long, slender log is used as a fascia. Timber battens can be seen between the fascia and the corrugated iron roof lining. A small curved piece of timber is arched to form a simple decorative bracket, connecting the corner post to the ceiling rafters.

The windows are irregularly placed and of various sizes and appear to have largely been replaced since the construction of the house in the late nineteenth century. Examples include a bank of three casements with timber framed, double pane highlights and louvred rectangular windows.

Physical Conditions

Good

Integrity

Minor Modifications

This place/object may be included in the Victorian Heritage Register pursuant to the Heritage Act 2017. Check the Victorian Heritage Database, selecting 'Heritage Victoria' as the place source.

For further details about Heritage Overlay places, contact the relevant local council or go to Planning Schemes Online http://planningschemes.dpcd.vic.gov.au/