

CHANDLER HIGHWAY BRIDGE



Chandler Highway Bridge



Aerial photo showing extent of registration



Chandler Highway Bridge looking to the north (City of Yarra) from the southern side of the bridge (City of Boroondara).jpg



Chandler Highway Bridge looking to the south (City of Boroondara) from the northern side of the bridge (City of Yarra).jpg



Extent of registration.jpg



A diagram of the Outer Circle Railway Line with the Chandler Highway Bridge denoted.jpg



A view from the cycle path at the southern end of the bridge.jpg



A detail of the cantilevered walkway looking west along the Yarra River.jpg



Sketches On The Outer Circle Railway, 'Bridge over the Yarra River at Alphington'.Melbourne: David Syme and Co. 1889.jpg



Undated photo Chandler Highway Bridge.jpg



Railway bridge across the Yarra, Kew, 1891 (?) Kew.jpg



A steam train at the Ashburton Railway Station, circa 1900.jpg



Chandler Highway Bridge construction works .jpg



Tracks at the former site of the Fulham Grange Station (now removed) approaching the Chandler Highway Bridge.jpg



Parts of the former Outer Circle Railway have been converted into walking and cycling tracks. This sign is from the 'Anniversary trail'.jpg



A view along the cantilevered walkway from the north looking south.jpg



Hawthorn Bridge (1861) (VHR H0050).jpg



Mia Mia/Redesdale Bridge (1868) (VHR H1419).jpg



Bell Street Bridge, Coburg (1880) (Not in the VHR).jpg



Sale Swing Bridge (1883) (VHR H1438).jpg




Diagram 2354.JPG

Location

CHANDLER HIGHWAY ALPHINGTON AND CHANDLER HIGHWAY KEW, YARRA CITY, BOROONDARA CITY

Municipality

YARRA CITY

BOROONDARA CITY

Level of significance

Registered

Victorian Heritage Register (VHR) Number

H2354

Heritage Overlay Numbers

HO67

VHR Registration

June 30, 2016

Heritage Listing

Victorian Heritage Register

Statement of Significance

Last updated on - June 2, 2016

What is significant?

The Chandler Highway Bridge, a 137 metre wrought iron lattice-truss girder bridge with four spans supported on red brick piers with moulded bluestone cappings. The bridge has a cantilevered walkway along the west side.

History Summary

The Chandler Highway Bridge crosses the Yarra River and connects Alphington and Kew. It was completed in November 1890 as part of the Outer Circle Railway Line. Opening in March 1891, this steam-era suburban railway line of 16.6 kms ran from Fairfield to East Camberwell and then south along the current Alamein line to Oakleigh. By 1893 sections of the railway had closed down, including the Fairfield Park (later Fairfield) to Riversdale Line which incorporated the Chandler Highway Bridge. By 1897 the entire Outer Circle Railway Line was out of service. The project attracted much public controversy for government mismanagement and overspending, and was widely seen as a failure with much of the infrastructure becoming redundant. The Chandler Highway Bridge remained open to pedestrian traffic until 1930 when the railway line from the Bridge to Princess Street was dismantled. Chandler Highway Bridge was converted to accommodate vehicular traffic in 1930 and became part of the road known as the Chandler Highway. It remains in use for vehicular traffic and forms part of one of Melbourne's major arterial roads.

Description Summary

The Chandler Highway Bridge is 137 metres in length with two through-type, wrought iron lattice-truss girders over four spans of about 35 metres each. This is supported on red brick piers with moulded bluestone cappings. Three of the four spans are over a wide floodway either side of the river channel. The girders are diagonally braced with original wrought iron lattice balustrading. The bridge has a cantilevered walkway along the west side.

This site is part of the traditional land of the Wurundjeri people.

How is it significant?

The Chandler Highway Bridge is of historical significance to the State of Victoria. It satisfies the following criterion for inclusion in the Victorian Heritage Register:

Criterion A

Importance to the course, or pattern, of Victoria's cultural history.

Criterion B

Possession of uncommon, rare or endangered aspects of Victoria's cultural history.

Why is it significant?

Completed in 1890 the Chandler Highway Bridge is of historical significance as the most substantial extant engineering remnant of the Outer Circle Railway Line, the most ambitious suburban line developed by the Victorian Government in the nineteenth century. The Outer Circle Railway Line was authorised during the building boom of the 1880s when Victoria's program of railway construction was at its height, and is associated with the rapid growth of Melbourne and its suburbs at this time. The Chandler Highway Bridge was only in use as a rail bridge between 1891 and 1893, and became a symbol of the failure of the Outer Circle Railway Line, which ceased in 1897 due to government mismanagement and the effects of the 1890s economic depression. The Chandler Highway Bridge was a well-known folly in Melbourne for thirty-seven years, and was converted and

brought back into use as a road bridge in 1930. Its adaptive reuse demonstrates the re-conceptualisation of Melbourne's arterial road network in the city's first strategic plan of 1929. [Criterion A]

The Chandler Highway Bridge is a lattice truss bridge, a type which is uncommon in Victoria. Apart from some railway footbridges, the lattice truss bridge form is only represented in Victoria by three earlier bridge trusses imported from Britain (the Hawthorn Bridge (1861) (VHR H0050), Mia Mia/Redesdale Bridge (1868) (VHR H1419), and the Bell Street Bridge, Coburg (1880)). The particular design of the Chandler Highway Bridge represents a transitional stage between these earlier lattice truss bridges and the more mathematically derived open web trusses at the turn of the twentieth century. The Chandler Highway Bridge is an outstanding and pivotal example of the lattice truss bridge form. [Criterion B]

The Chandler Highway Bridge is also significant for the following reasons, but not at the State level:

The bridge was named after AE Chandler, Minister for Public Works (1928-1929). As a young engineer aged in his early twenties, John Monash was the supervising engineer for the contractors on the railway works. The Chandler Highway Bridge is a local landmark notable for its visually impressive red brick piers. The immediate area below the bridge and in this vicinity forms part of a relatively naturalistic landscape formed by the Yarra Flood Plain and dominated by regenerating native vegetation.

Permit Exemptions

General Exemptions:

General exemptions apply to all places and objects included in the Victorian Heritage Register (VHR). General exemptions have been designed to allow everyday activities, maintenance and changes to your property, which don't harm its cultural heritage significance, to proceed without the need to obtain approvals under the Heritage Act 2017.

Places of worship: In some circumstances, you can alter a place of worship to accommodate religious practices without a permit, but you must **notify** the Executive Director of Heritage Victoria before you start the works or activities at least 20 business days before the works or activities are to commence.

Subdivision/consolidation: Permit exemptions exist for some subdivisions and consolidations. If the subdivision or consolidation is in accordance with a planning permit granted under Part 4 of the *Planning and Environment Act 1987* and the application for the planning permit was referred to the Executive Director of Heritage Victoria as a determining referral authority, a permit is not required.

Specific exemptions may also apply to your registered place or object. If applicable, these are listed below. Specific exemptions are tailored to the conservation and management needs of an individual registered place or object and set out works and activities that are exempt from the requirements of a permit. Specific exemptions prevail if they conflict with general exemptions.

Find out more about heritage permit exemptions [here](#).

Specific Exemptions:

It should be noted that Permit Exemptions can be granted at the time of registration (under s.42(4) of the Heritage Act). Permit Exemptions can also be applied for and granted after registration (under s.66 of the Heritage Act)

General Condition 1

All exempted alterations are to be planned and carried out in a manner which prevents damage to the fabric of the registered place or object.

General Condition 2

Should it become apparent during further inspection or the carrying out of works that original or previously hidden or inaccessible details of the place or object are revealed which relate to the significance of the place or object, then the exemption covering such works shall cease and Heritage Victoria shall be notified as soon as possible.

General Condition 3

All works should be informed by Conservation Management Plans prepared for the place. The Executive Director is not bound by any Conservation Management Plan, and permits still must be obtained for works suggested in any Conservation Management Plan.

General Condition 4

Nothing in this determination prevents the Heritage Council from amending or rescinding all or any of the permit exemptions.

General Condition 5

Nothing in this determination exempts owners or their agents from the responsibility to seek relevant planning or building permits from the relevant responsible authority, where applicable.

Specific Permit Exemptions

Landscape Exemptions:

- . The process of gardening, including mowing, hedge clipping, disease and weed control, and maintenance to care for existing plants.
- . Pruning, lopping or removal of trees and vegetation.
- . Planting of trees and vegetation.
- . Subsurface works involving the installation, removal or replacement of watering and drainage systems or services on the condition that works do not impact on archaeological features or deposits
- . Removal of plants listed as noxious weeds in the *Catchment and Land Protection Act 1994*.
- . Vegetation protection and management of possums and vermin.

Specific Exemptions:

- . Emergency and safety works to secure the site and prevent damage and injury to property and the public. Urgent or emergency site works are to be undertaken by an appropriately qualified specialist such as a structural engineer, or other heritage professional.
- . Emergency stabilisation (including propping) necessary to secure safety where a site feature has been irreparably damaged or destabilised and represents a safety risk.
- . The erection of temporary security fencing, scaffolding, hoardings or surveillance systems to prevent unauthorised access or secure public safety which will not adversely affect significant fabric of the place.
- . Inspection, repair and maintenance of structural elements, including bridge abutments, piers, concrete members and metallic members such as the trusses, in a manner that does not have a negative impact on the cultural heritage significance of the place.
- . Inspection, repair, operation and maintenance of the road and public transport infrastructure, and the shared pedestrian/bicycle path on the southern banks of the Yarra, in a manner that does not have a negative impact on the cultural heritage significance of the place.
- . Inspection, repair and maintenance of fixtures, including handrails, chairs, drainage, lighting and signage, in a manner that does not have a negative impact on the cultural heritage significance of the place.

. Inspection, repair, operation and maintenance of services, including electricity, lighting, telecommunications, drainage, sewerage and water in a manner that does not have a negative impact on the cultural heritage significance of the place.

. Temporary works that do not affect the cultural heritage significance of the place, such as the placement of traffic management signage, in a manner that does not have a negative impact on the cultural heritage significance of the place.

Theme

3. Connecting Victorians by transport and communications 6. Building towns cities and the garden state

Construction dates	1840, 1889,
Architect/Designer	Watson, Robert,
Heritage Act Categories	Registered place,
Other Names	ROAD BRIDGE (FORMER RAIL BRIDGE) OVER YARRA RIVER, OUTER CIRCLE RAILWAY, CHANDLER BRIDGE, CHANDLER HIGHWAY BRIDGE,
Hermes Number	3861
Property Number	

History

HISTORY

Construction of the Outer Circle Railway Line and Yarra River Rail Bridge (later the Chandler Highway Bridge)

On 12 December 1884 the construction of Melbourne's Outer Circle Railway Line was approved under the 1884 *Railway Construction Act* which authorised sixty-two new railway lines in Victoria. It was conceived during the 1860s and 1870s at a time when most of Melbourne's railways were privately operated. The Outer Circle Railway (built to the north east of Melbourne) was designed to link the Gippsland Railway to the inner eastern suburban railway system, and then to Flinders Street Station, Spencer Street Station and Good Yards such as the Newmarket Saleyards. The Outer Circle Railway was built to carry passenger trains as well as livestock, firewood and other freight. It was hoped that the railway would stimulate residential development in suburban Melbourne which had been rapidly growing in population from the 1870s.

The Victorian Government contract for construction of the line was let to builders Graham & Wadick on 13 April 1888 and the line was opened in March 1891 having cost £297,361 to build. The Yarra River Bridge (later known as the Chandler Highway Bridge) cost £23,000. There were other bridges built on the line including the 'Black Bridge' spanning Gardiner's Creek (a single line rail timber trestle bridge, now demolished) and the Canterbury Road Bridge over the rail line to the south of the former Shenley station. The railway line and its bridges were designed by the Engineer-in-Chief's Branch of the Victorian Railways, under Engineer-in-Chief Robert Watson. Graham and Wadick, employed a young engineer, John Monash as supervising engineer on the project. Monash was twenty-two years old when appointed.

The Chandler Highway Bridge was designed to carry two railway tracks but only one was laid down. During the construction process, the original design was modified to provide an pedestrian walkway, cantilevered from the western side of the bridge trusses. The design of the bridge reflected the conservative nature of the railways - for example their reluctance to use concrete, and their insistence of simply supported rather than continuous span bridges.

The Victorian Government spared no expense on the Outer Circle Railway Line and it was viewed by many as extravagant. Upon completion in 1891, it was 16.6 km in length and had 11 stations all provided with twin

platforms and crossing loops. It ran off the Gippsland Railway at Hughesdale (near Oakleigh), went through Ashburton and Camberwell, then entered Kew at Burke Road about 500 metres north of Cotham Road, travelling generally north-west to cross the Yarra River near Fairfield. From there it joined the Heidelberg and Eltham Railway, and ran via a junction at Rushall, on to the Inner Circle Railway through north Fitzroy and North Carlton, to connect with the Coburg line in Royal Park, near the Zoo. Between Fairfield Park (later Fairfield) and Riversdale Stations, a single steam locomotive ran up and down the line during the day, crossing the Chandler Highway Bridge on its route.

Closure Yarra River Rail Bridge (later the Chandler Highway Bridge) and Failure of the Outer Circle Railway Line

Despite the impressive Government investment in the Outer Circle Railway Line, it was ultimately a grand failure. By 1885 it was claimed that two parliamentarians who helped approve the line, FE Beaver and James Munro, purchased land adjoining the new railway. Public controversy ensued over land speculation, the design of the line and excessive government spending. There was a lack of patronage and in 1893 the Fairfield Park to Riversdale section of Outer Circle Railway Line (including the Chandler Highway Bridge) closed. Sections of the Outer Circle Railway Line were progressively shut down until the whole line closed in 1897. Ultimately the line never carried Gippsland traffic because the Oakleigh to Sale (Gippsland) railway line had already opened by 1878, but this did not appear to have deterred those who planned the Outer Circle Railway. The aim of boosting suburban growth stalled when the 1890s depression saw home building all but cease, and many land speculators who purchased property along the line lost their money. The history of the Outer Circle Railway Line typifies the optimism of the 1880s boom and expansion of buildings and infrastructure in Victoria, and the subsequent impact of the 1890s economic depression in Melbourne.

During the following years and decades, sections of the Outer Circle Railway Line opened and closed. Passenger services on the section from Riversdale to Deepdene were resumed in May 1900, with the 'Deepdene Dasher', a small steam hauled train which ran between Deepdene and Ashburton. The early 1920s saw the electrification of Melbourne's train lines. An electric train from Camberwell took over the trip to Ashburton and the northern section steam passenger trains operated only between Deepdene and Riversdale with passengers for Melbourne changing at East Camberwell. The last steam-hauled Deepdene Dasher ran on 15 August 1926 and was replaced by two railmotors coupled back to back. On 10 October 1927 the train was replaced by a bus service between East Camberwell and Deepdene, extending in 1929 to East Kew. The Deepdene Dasher was the last passenger steam train in suburban Melbourne. By the 1920s Melbourne's electric tram system was operational and became a preferred form of transport in the eastern suburbs because of its frequency of service, speed and routes past local shopping strips and into the employment areas of inner Melbourne.

Reopening of Chandler Highway Bridge as a Road Bridge

The northern section of the Outer Circle Railway from Riversdale to Fairfield Park (which included the Chandler Highway Bridge) was officially closed on 12 April 1893. The Bridge was to lie idle for most of the following 37 years (to 1930) except for the occasional use by pedestrians wishing to cross from Fairfield to Studley Park. A short section of the line on the northern side of the river was reopened in 1919 from Fairfield Park for goods traffic to the Fairfield Paper Mill (later Australian Paper Mills) and this portion closed in the mid-1990s, though the tracks could still be seen cutting diagonally across Heidelberg Road-Chandler Highway intersection for some years. The railway is no longer evident between Heidelberg Road and Princes street due to widening for the freeway overpass.

The Chandler Highway Bridge was converted from rail to road use in 1930 after the Public Works Department, Board of Land & Works, the Metropolitan Board of Works, and the five councils struck an agreement in November 1929. Works involved the forming and sealing of new approach roads and the laying of 60,000 super-feet of new timber decking on the bridge. A building that was formerly part of the Kew Asylum was demolished as part of the project, allowing the alignment of the southern approach road from the intersection with Princes Street, Kew, to be straightened. Works were completed and the bridge opened for traffic in June 1930.

In September 1930 the new section of road was named the 'Chandler Highway' and the bridge was renamed 'Chandler Bridge', in recognition of the role played by A.E. Chandler (1873-1935) in bringing the project to fruition. During the mid-1930s the Chandler Highway was integrated conceptually into the northern end of the Yarra Boulevard, constructed by unemployed sustenance labour, and hundreds of Lombardy poplars were planted along the route as part of a beautification scheme in preparation for the Centenary of Melbourne in 1935. The Chandler Highway is part of Melbourne's arterial main road network which had its genesis in the *Plan of general development, Melbourne: report of the Metropolitan Town Planning Commission* of 1929 (see pages 79-80).

The Chandler Highway was originally planned to continue east along the former rail corridor to where Earl, Asquith and Valerie Streets intersect. The highway was to end at High Street in East Kew, and although the route is still listed as a 'proposed arterial' in older editions of the Melway street directory, the reserve has been landscaped. At the interchange with the Eastern Freeway, there are visible pavements reserved for smooth (elevated) entry/exit ramps to be constructed. These proposals are illustrated in the early eighties editions of the Melway directory. The 1969 Melbourne Transportation Plan shows the Chandler Highway as part of the F6 Freeway corridor which would eventually link up to the Mornington Peninsula Freeway. The Chandler Highway is less than 2 kilometres in length, leading to its claim as 'the shortest highway in the world'.

1955-56 Bridge Works

By 1951, the Chandler Bridge was described as being 'dangerously out of repair' and claimed to be 'one of the worst stretches of pot holes in the metropolitan area' being pounded by almost 4,000 vehicles a day, including 1,200 trucks and buses. The bridge was subsequently strengthened in 1955-56 by the Country Roads Board when much of the deck was renovated and this may also be the date for the welding reinforcement of the horizontal chords of the trusses. It has been claimed the bridge was widened in the 1950s, but this cannot be substantiated. The strengthening works that were carried out in the 1950s involved welding up the truss work, installing additional gusset and brace plates, and adding welded box sections to the upper chords of the trusses, which extend for about a third of the length of the chords in the mid-section. A small cabin was erected on top of the north-west pillar of the bridge around this time - its function is uncertain, but it appears to be related to the strengthening works - perhaps to assist with traffic control as the bridge was retained in use during the works.

Present day

Today the Chandler Highway Bridge carries an average of 44,000 vehicles per day. On the north side of the Bridge, the former railway alignment can be traced through the former Australian Paper Mill (Ampcor) works where tracks from the siding remain, and across Heidelberg Road to the junction with the Hurstbridge rail line (the section crossing the road has now been removed). The only operational rail section of the Outer Circle Railway Line that remains today is the Alamein Line. Extant infrastructure include a number of road over rail bridges, various platform mounds, cuttings, embankments and archaeological features, and the remains of a timber pylon from the 'Black Bridge' a railway bridge spanning Gardiner's Creek (now demolished). Some of the Outer Circle Railway Line is now a linear park with cycle tracks (including the Anniversary Bike Trail) and there has been some heritage interpretation of remnant elements.

Timeline

Date

Event

1884

Railway Construction Act

1887

Tenders called - Construction of the Outer Circle Railway Line

1888

Construction commences - Outer Circle Railway Line

February

1889

Construction commences - Yarra River Bridge

November 1890

Construction complete - Yarra River Bridge

March

1891

Opened - Outer Circle Railway Line

12 April

1893

Closed - Fairfield Park to Riversdale Line section of Outer Circle Railway Line (includes the Yarra River Bridge)

1895

Closed - Oakleigh to Ashburton section of Outer Circle Railway Line

1897

Closed - Whole of Outer Circle Railway Line close when trains stopped running between Ashburton and Camberwell

1898

Reopened - Ashburton to Camberwell

1900

Reopened - Riversdale to Deepdene (the 'Deepdene Dasher')

1919

Reopened - Line from Fairfield Park to APM (Australian Paper Mill) for goods traffic.

1927

Closed - Last remaining sections of Outer Circle Railway Line (Deepdene to Ashburton) and buses replace trains.

1930

Dismantled - Railway Line from the Chandler Bridge to Princess Street Kew and bridge became used by vehicular traffic.

1946

Dismantled - Outer Circle Railway Line.

Mid-1990s

Closed - Line between Fairfield Park and APM (Australian Paper Mill) for goods traffic.

KEY REFERENCES USED TO PREPARE ASSESSMENT

Allom Lovell & Associates, Citation for Chandler Highway Bridge, *City of Yarra Heritage Review*, 1998.

Beardsell, D. *The Outer Circle: A History of the Oakleigh to Fairfield Park Railway*, Australian Railway Historical Society (Victorian Division), 1979.

Beardsell, D. *The Outer Circle: Melbourne's Forgotten Railway*, DVD, Evolving Communications and Shack West, 2014.

City of Boroondara (Kew), Citation for Former Outer Circle Railway Bridge, Chandler Highway, 1983.

City of Yarra, Citation for Outer Circle Railway line bridge, later Chandler Highway Bridge, over Yarra River, HO67.

Metropolitan Town Planning Commission, Stapley, Frank, *Plan of general development, Melbourne: report of the Metropolitan Town Planning Commission*, HJ Green, Government Printer, 1929.

Vines, G. (Biosis Research Pty Ltd) and Ken McInnes, *Metal Bridges Study*, National Trust of Australia (Victoria) With assistance from VicRoads and Heritage Victoria, 2003 (Revised August 2010).

Vines, G. (Biosis Research Pty Ltd), *Victoria's Rail and Masonry Bridges*, National Trust of Australia (Victoria) With assistance from VicRoads and Heritage Victoria (2011).

Vines, G. (Biosis Research Pty Ltd), *Chandler Highway Upgrade Heritage Impact Statement*, Prepared for VicRoads, December 2015.

National Trust Citation for John Foord Bridge over the Murray River, Victorian Heritage Database.

Plaque Citation

The Chandler Highway Bridge (1890) is an uncommon lattice truss bridge and one of the last surviving remnants of Melbourne's steam-era Outer Circle Railway Line. In 1930 the Bridge was converted to accommodate vehicular traffic.

Assessment Against Criteria

Criterion

Following is the Executive Director's assessment of the place against the tests set out in *The Victorian Heritage Register Criteria and Thresholds Guidelines (2014)*.

CRITERION A

Importance to the course, or pattern, of Victoria's cultural history.

STEP 1: A BASIC TEST FOR SATISFYING CRITERION A

The place/object has a *clear ASSOCIATION* with an event, phase, period, process, function, movement, custom or way of life in Victoria's cultural history.

Plus

The association of the place/object to the event, phase, etc *IS EVIDENT* in the physical fabric of the place/object and/or in documentary resources or oral history.

Plus

The *EVENT, PHASE, etc* is of *HISTORICAL IMPORTANCE*, having made a strong or influential contribution to Victoria.

Executive Director's Response

. The Chandler Highway Bridge was built as part of the Outer Circle Railway Line which has a clear association with the expansion of Melbourne's suburban rail network from the late nineteenth century which facilitated the growth of Melbourne and its suburbs.

. The Chandler Highway Bridge was authorised during the 1880s economic boom but was only in use between 1891 and 1893, becoming a symbol of the failure of the Outer Circle Railway Line.

. Its adaptive reuse as a road bridge from 1930 demonstrates the re-conceptualisation of Melbourne's arterial road network in the city's first strategic plan of 1929.

. This association of the Chandler Highway Bridge with Victoria's ambitious program of railway construction during the 1880s boom and the 'bust' of the 1890s depression, and the development of Melbourne's arterial road

network is evident in the physical fabric of the Chandler Highway Bridge and documentary resources.

. The Victorian Government's program of rail and road construction from the 1880s made strong and influential contribution to the state.

Criterion A is likely to be satisfied.

STEP 2: A BASIC TEST FOR DETERMINING STATE LEVEL SIGNIFICANCE FOR CRITERION A

The place/object allows the clear association with the event, phase etc. of historical importance to be *UNDERSTOOD BETTER THAN MOST OTHER PLACES OR OBJECTS IN VICTORIA WITH SUBSTANTIALLY THE SAME ASSOCIATION.*

Executive Director's Response

. The Chandler Highway Bridge is the most substantial extant engineering remnant of the Outer Circle Railway Line.

. The Chandler Highway Bridge allows the clear association with Victoria's ambitious program of railway construction authorised during the 1880s boom, and the effects of the 'bust' of the 1890s depression to be understood better than most other places or objects in Victoria with substantially the same association.

. There is currently no registration associated with the Outer Circle Railway line in the VHR.

Criterion A is likely to be satisfied at the State level. **CRITERION B**

Possession of uncommon, rare or endangered aspects of Victoria's cultural history.

STEP 1: A BASIC TEST FOR SATISFYING CRITERION B

The place/object has a *clear ASSOCIATION* with an event, phase, period, process, function, movement, custom or way of life of importance in Victoria's cultural history.

Plus

The association of the place/object to the event, phase, etc *IS EVIDENT* in the physical fabric of the place/object and/or in documentary resources or oral history.

Plus

The place/object is *RARE OR UNCOMMON*, being one of a small number of places/objects remaining that demonstrates the important event, phase etc.

OR

The place/object is *RARE OR UNCOMMON*, containing unusual features of note that were not widely replicated

OR

The existence of the *class* of place/object that demonstrates the important event, phase etc is *ENDANGERED* to the point of rarity due to threats and pressures on such places/objects.

Executive Director's Response

. The Chandler Highway Bridge has a clear association with the lattice truss bridge type.

. This association is evident in the physical fabric and documentary resources.

. The Chandler Highway Bridge is an example of an uncommon bridge type, the lattice truss bridge.

Criterion B is likely to be satisfied.

STEP 2: A BASIC TEST FOR DETERMINING STATE LEVEL SIGNIFICANCE FOR CRITERION B

The place/object is *RARE, UNCOMMON OR ENDANGERED* within Victoria.

Executive Director's Response

. The Chandler Highway Bridge is an example of an uncommon bridge type (lattice truss bridges) in Victoria.

. Apart from some railway footbridges, the lattice truss bridge form is only represented in Victoria by three earlier bridge trusses imported from Britain (the Hawthorn Bridge (1861) (VHR H0050), Mia Mia/Redesdale Bridge (1868) (VHR H1419) and the Bell Street Bridge (1880).

. The design of the Chandler Highway Bridge represents a transitional stage between the earlier lattice truss bridges of the 1860s-80s and the more mathematically derived open web trusses at the turn of the twentieth century.

. The Chandler Highway Bridge is an outstanding and pivotal example of the lattice truss bridge form. Criterion B is likely to be satisfied at the State level.

Extent of Registration

NOTICE OF REGISTRATION

As Executive Director for the purpose of the **Heritage Act 1995**, I give notice under section 46 that the Victorian Heritage Register is amended by including the following place in the Heritage Register:

Number: H2354

Category: Heritage Place

Place: Chandler Highway Bridge

Location: Chandler Highway, Alphington, Kew

and Chandler Highway, Kew

Yarra City and Boroondara City

All of the place shown hatched on Diagram 2354 encompassing parts of the reserves for the Yarra River and the Chandler Highway to the extent of 10 metres from the outer faces of the bridge pylons to the east and west and 20 metres to the north and south but excluding any land contained in Plan of Subdivision 745048.

Dated 30 June 2016

TIM SMITH

Executive Director

[*Victoria Government Gazette* G 26 30 June 2016 p.1595]

This place/object may be included in the Victorian Heritage Register pursuant to the Heritage Act 2017. Check the Victorian Heritage Database, selecting 'Heritage Victoria' as the place source.

For further details about Heritage Overlay places, contact the relevant local council or go to Planning Schemes Online <http://planningschemes.dpcd.vic.gov.au/>