
Brisbane Ranges

Location

BEREMBOKE VIC 3342 - Property No L10168

Municipality

MOORABOOL SHIRE

Level of significance

State

Heritage Listing

National Trust

Statement of Significance

Last updated on - June 3, 2004

The dominant feature of the Brisbane Ranges is the Rowsley fault distinguishable as the escarpment near the eastern boundary of the range. Views from the lookouts situated along the fault scan an exciting landscape of deeply dissected valleys and gorges including features such as Anakie Gorge, and the valleys of Little River and Sunderlands Creek. The weathering of the parent material has exposed interesting rock formations particularly a seam of brilliantly coloured slate which runs north-south.

The vegetation of the Brisbane Ranges is of special significance because of the presence of a number of rare species: species such as cane speargrass in the Reillys Creek area, scented bush-pea around Steiglitz and the velvet daisy bush surviving in Stony Creek gorge. *Grevillea steiglitziana* and *Chrostemon humilis* are both endemic in the Brisbane Ranges. In all there are 420 indigenous species recorded in the ranges which includes 50 orchids, 14 wattles and 16 eucalypts. Three species found in the area are on the endangered list of native Victorian vascular plants, they are *Olearia pannosa*, *Pultanaea graveolens* and *Stipa breviglumis*.

Note: Classified boundary varies from Brisbane Ranges National Park boundary

Classified 07/06/1982

Hermes Number 70413

Property Number

This place/object may be included in the Victorian Heritage Register pursuant to the Heritage Act 2017. Check the Victorian Heritage Database, selecting 'Heritage Victoria' as the place source.

For further details about Heritage Overlay places, contact the relevant local council or go to Planning Schemes Online <http://planningschemes.dpcd.vic.gov.au/>