# **BRAGG'S WATER RACE AND DAM**

### Location

CRESWICK-BUNGAREE ROAD AND MELBOURNE ROAD CRESWICK AND SLATY CREEK ROAD CABBAGE TREE, HEPBURN SHIRE

## **Municipality**

HEPBURN SHIRE

### Level of significance

Heritage Inventory Site

### Heritage Inventory (HI) Number

H7623-0333

### **Heritage Listing**

Victorian Heritage Inventory

Historical Significance	The site has a HIGH level of historical significance at a local level. Due to the excellent
	preservation of a large part of the Creswick goldfield, the intertwined narratives of mining,
	water supply, environmental consequences and rapidly evolving legislation can be read in
	the landscape. At a state level the site contributes to broader narratives of water supply
	and mining (Victorian Historical Theme 4.5 & 4.6) and informs the development of both
	mining and water management laws for the State of Victoria.
	The race system is one of many on the Creswick alluvial goldfield that together make up
	an important and well preserved cultural landscape of water management.
	Combined with Creswick's strong forestry education facilities and proximity to Melbourne
	and Ballarat, an increased awareness in this well preserved mining complex could provide
	Creswick with excellent educational and tourism opportunities illustrating mining
	techniques and how mining shaped Victoria's water laws.
Archaeological Significance	This site has a high level of archaeological significance.
	The race is well preserved for its entirety and is a representative example of an 1850s
	water race that was utilised over several decades for both mining and water supply
	purposes. Archaeological features include the race alignment, negative cut features, spoil
	and sediment deposits, dams, diversions, sluice points, bitumen pipe remains and
	potential gauges, flume remains, and sluice lining materials.
	Although water races are common on Victorian Goldfields very few races in Victoria have
	been documented and mapped in detail and the integrity of remaining goldfield water
	management complexes is largely under researched.

	The race was constructed in the early 1850s to service the Humbug Hill Sluicing
	Companies claims at Humbug Hill . Braggs dam was constructed c 1860 to supply water to
	the claim. Water from the race was sold to other miners along the race route and
	augmented council water supply. The water was carried accross Slaty Creek to reach
	distant company claims at Bald Hills in 1861 . New bitumen pipe technology was used but
Interpretation of Site	failed , being replaced by iron pipes. The Humbug Hill Sluicing Company represents an
	important early example of corporate alluvial gold mining in Victoria, with a strong
	emphasis on water management.
	The race was taken over in entirity in the mid 1880s by the Creswick Council to augment
	the town water supply and water was also leased to Chinese miners. The race and dam
	appear to have fallen into disuse by the early 20th century.
Hermes Number	195090
Property Number	

### History

Much of the race between Bragg's Dam and Humbug Hill remains in an excellent state of preservation, despite disturbance in several small sections by road construction and logging. In addition, construction of Cosgrove Reservoir in 1977 inundated approximately one kilometre of the race upstream of Eatons Dam. Bragg's race is generally about one metre wide and up to 1.2 metres deep, curving around Ashwell's Gully and Lincoln Gully en route to Humbug Hill. Extensions of the race to the White Hills, and beyond to Long Point and the Bald Hills2, are poorly preserved, with only small sections still extant. The good state of preservation of the Humbug race almost certainly relates to its later re-use as part of the municipal water supply, where the channel was cleaned out and possibly widened, until the 1960s (L. Bren pers comm. 20 April 2012).

A small holding or settling dam was also constructed on the east side of Humbug **Hill.** Such dams could serve to lower the velocity of water flowing through the race by spreading it over a wider surface, before the water was then distributed to the working site (Tracey 1997:7). The dam is located about 60 metres south-west of Bragg's race, and the dam wall is 45 metres wide. The floor of the dam is covered with numerous potholes, usually about one metre in width. A small blockage in Bragg's race diverted water through a secondary race into the holding dam, from where it was used in ground sluicing on the southern slopes of Humbug **Hill.** It is not clear when this small dam was used, although it appears to post-date construction of Bragg's race.

This place/object may be included in the Victorian Heritage Register pursuant to the Heritage Act 2017. Check the Victorian Heritage Database, selecting 'Heritage Victoria' as the place source.

For further details about Heritage Overlay places, contact the relevant local council or go to Planning Schemes Online <u>http://planningschemes.dpcd.vic.gov.au/</u>