
# **Lemon Scented Gum**



Manningham Heritage Garden & Significant Tree Study 2006



Manningham Heritage Garden & Significant Tree Study 2006



Manningham Heritage Garden & Significant Tree Study 2006

#### Location

Williamsons Road, at the entrance to Westfield Shoppingtown DONCASTER, Manningham City

# **Municipality**

MANNINGHAM CITY

#### Level of significance

Not Recommended

## **Heritage Listing**

Manningham City

## Statement of Significance

Last updated on -

As above. Trees are exhibiting signs of stress and would benefit from reduced compaction within the root zone. This could be achieved by the removal of the footpath beneath trees A and B and the breaking up and mulching of the soil surface under all trees. If the surface soil is broken it should be by hand, and under the supervision of a qualified arborist to ensure that roots are not severed.

Heritage Manningham - Heritage Garden & Significant Tree Study - Stage 2, John

Study/Consultant Patrick Pty Ltd, 2006;

Other Names Corymbia citriodora,

Hermes Number 22949

**Property Number** 

#### **Physical Conditions**

Public land

Melway Ref: 33 D12

Setting/Position: Group of trees located at either side of the entrance to the shopping centre carpark. See

diagram over the page for tree locations and key.

No. of trees: 5

Height: A-18m; B-17m; C-14m; D-14m; E-15m

Canopy Spread (m) E-W: A-13m; B-11m; C-10m; D-9m; E-11m

N-S: A-15m; B-15m; C-12m; D-11m; E-11m

**DBH:** A-645mm; B-470mm; C-490mm;

D-390mm; E-470mm

Approx. Age of Tree: 30 years

TPZ: 7.8m (A) CRZ: 3.0m (A)

5.7m (B) 2.7m (B)

6.0m (C) 2.7m (C)

4.8m (D) 2.4m (D)

5.7m (E) 2.7m (E)

Category of Significance:

Location or context

Aesthetic value

Curious growth form

Level of Significance: Local

History: Group of Gums planted to accent the entrance, probably at the same time that the retaining walls and

carpark were constructed (c.1970s).

Health:

Dead wood

Dieback

Stress

Low foliage density

**Other/Notes:** Branch stub dieback and deadwood present. Some trees are also exhibiting signs of stress, with reduced foliage density in their canopies.

Health Rating: 3

**Threats/Risks to Tree:** Compaction, limited root space and general damage from the public such (e.g. cars and shopping trolleys). Graffiti is also a threat to the tree, with one growing over graffiti carved into the trunk. Tress A and B are earmarked for removal under Permit No. PL03/015005 (26 May 2004).

Hazards/Risks:

Co-dominant branches

V-crotched

Diseased limbs

Other

Other/Notes: See below

Structure Rating: 3-4

Existing

Planning Controls:

Design and Development Overlay 6, Incorporated Plan Overlay 1, Development Contributions Plan Overlay 1

Recorded by: Andrea Proctor

Date: 18-01-05

ID Confirmed: John Patrick

This place/object may be included in the Victorian Heritage Register pursuant to the Heritage Act 2017. Check the Victorian Heritage Database, selecting 'Heritage Victoria' as the place source.

For further details about Heritage Overlay places, contact the relevant local council or go to Planning Schemes Online <a href="http://planningschemes.dpcd.vic.gov.au/">http://planningschemes.dpcd.vic.gov.au/</a>