Boiler House - Maryborough & District Hospital



B6451 Boiler House Maryborough & District Hospital

Location

Palmerstone Street,, MARYBOROUGH VIC 3465 - Property No B6451

Municipality

CENTRAL GOLDFIELDS SHIRE

Level of significance

State

Heritage Listing

National Trust

Statement of Significance

Last updated on - March 1, 2005

The Maryborough Hospital Boiler House is historically, technically and socially significant to Victoria's industrial heritage at State Level, for the following reasons:

- 1) It is the best and most intact surviving example of a 20th century boiler house in Victoria equipped with Victorian-made underfired multitubular boilers (once the most common type of boiler in use in Victoria).
- 2) It is a well preserved and documented example of Victorian manufactured boilers designed specifically for efficient manually stoked wood-fired operation.
- 3) It is the last commercially-operating (non-tourist) wood-fired boiler house in Victoria to use traditional cut firewood billets purchased from timber-cutters (as distinct from wood-fired boilers using sawdust, woodchips or sawmill offcuts).
- 4) It is the only operating boiler house in Victoria that has a bank of two or more underfired multitubular boilers still in use.

5) It is a rare surviving example of a work place that reflects 19th century work practices in its layout, equipment presentation, management, operation and staff pride. Classified: 21/-07/1993	nt

Hermes Number 67721

Property Number

This place/object may be included in the Victorian Heritage Register pursuant to the Heritage Act 2017. Check the Victorian Heritage Database, selecting 'Heritage Victoria' as the place source.

For further details about Heritage Overlay places, contact the relevant local council or go to Planning Schemes Online http://planningschemes.dpcd.vic.gov.au/